


# FIBER TANK SHADE TANK COVERING

## مظلة فايبر تانك



### Propertes

- Easy clean.
- Easy to lift & install.
- Never need painting.
- Maintenance not required.
- Available in different colours.
- Smooth inner & outer surface to prevent dirt build up.

### Sheds Type :

- Decorative Sheds.
- Car Sheds.

### Car Sheds Type :

- Royal Car Sheds.
- Star 1 Car Sheds.
- Star 2 Car Sheds.
- Islamic Car Sheds.
- Wave Car Sheds.
- Arch Car Sheds.

### الخصائص

- سهولة التنظيف.
- تصاميم متنوعة.
- سهولة الحمل و التركيب.
- لا تحتاج لصيانة مطلقا.
- متوفرة بجميع الالوان حسب الرغبة.
- نعومة السطحين الداخلي و الخارجي لمنع تسريب الغبار.

Car Sheds Type	Dimention / m.	Height / cm.	thickness /mm.	pipe / inch.
Royal	6.0 X 3.0	230	6	3
Star 1	6.0 X 3.0	230	6	3
Star 2	6.0 X 3.0	230	6	3
Islamic	6.0 X 3.0	230	6	3
Wave	6.0 X 3.0	230	6	3
Arch	6.0 X 6.0	230	8	3



ALBASSAM C-018

## FIBER TANK SHADE TANK COVERING

مظلة خابير تانك



### WHAT IS HOT DIP GALVANIZING ?

Hot Dip Galvanizing is a form of corrosion protection method, which involves coating an iron or steel structure with molten zinc.



### SCREWS


Stocked in steel | zinc plating.

- Available in 18-8 stainless steel
- Hot dipped galvanized, plain, and black oxide.




### GAS EPOXY MIO JOTUN


Paint epoxy high-quality composed of two compounds formed with a thickness large, anti-corrosive, contains chips iron oxide colored layer of a solid buffer against the passage of moisture and air pollutants and reflect UV rays and prevents access to the layer resin.



**CAR PARKING SHADE**  
SIDE ELEVATION



**CAR PARKING SHADE**  
TOP VIEW



**CAR PARKING SHADE**  
FRONT ELEVATION

GI 6" PIPE 5MM THK.  
PAINTED WITH APPROVED  
STEEL PAINT NOT LESS THAN 350  
MICRON

**Description**

<b>Size</b>	550 cm L X 550 cm W. X 240 cm H.
<b>Steel</b>	Structure Main pipe / 6" - 5 mm THK. Truss pipe / 2.5" - 3 mm THK.
<b>Fabric Covering</b>	PVC, 900 g/m <sup>2</sup> <input type="checkbox"/> HDPE, Net cloth <input type="checkbox"/>
<b>Accessories</b>	All the used accessories (bolts, nut, stiffener...) GI grade 8.8
<b>Footing</b>	80 cm L X 80 cm W. X 80 cm H. Reinforced concrete with 4 No. anchor bolts grade 8.8 X 24 mm THK.
<b>Warranty</b>	10 Years Warranty - Fabric Covering Only
<b>Finishing</b>	Paint epoxy/epoxy marine The paint its high quality composed of two compounds Formed with a thickness large, anti-corrosive
<b>Steel Quality</b>	Fabricated Steel Components Hot Dip Galvanized In Accordance To International Standards Such As Astm B6 And En Iso 1461 ASTM: American Society For Testing And Materials, International Standards. ISO: International Organization For Standardization
<b>Structural Calculation</b>	Calculation load for the steel structure as per generated to 160 Km/h wind speed According to the requirements of UAE municipalities Design and Practice Codes: - ASTM International American Society for Testing and Materials, International Standards. - BS EN 206-1 Concrete. Specification, Performance, Production and Conformity. - NFPA 5000 Building Construction and safety Code. - ASCE 7-05, CIRIA Report 147

**CAR PARKING SHADE**  
DESCRIPTION



ALBASSAM C-018

# FIBER TANK SHADE TANK COVERING

مظلة فايبر تانك

